



TOT. OPP: 1404m²

$N_p = N_r = 17 \text{ klaslokalen} \times 22 \text{ pers.} (2,5 \text{ m}^2/\text{pers.}) = 374 \text{ pers.}$
 Totaal breedte trappen dalen: $bt = 374 \times 0,0125 = 467,5 \Rightarrow 480 \text{ cm} = 4 \text{ trappen } 120 \text{ cm breed}$

Verdieping 1

Datum | Date 03/03/16
 Schaal | Échelle 1 : 200
 Doss. nr. 15-029

BURO II & ARCHI+I | urban planning | architecture | engineering | interior design |
 Rue J. Jordeestraat 18A, B-1000 Brussel-Bruelles | T +32 2 641 88 00 | F +32 2 640 53 55 | E info@b2ai.com | www.b2ai.com
 Hoogledesteerweg 415, B-8800 Roeselare | T +32 51 21 11 05 | F +32 51 22 46 74 | E info@b2ai.com | www.b2ai.com
 Bellevue 5, B-9050 Ledeberg (Genf) | T +32 9 210 17 10 | F +32 9 210 17 19 | E info@b2ai.com | www.b2ai.com
BURO II & ARCHI+I | burgerlijke vennootschap onder de vorm van cv/oa | Maatschappelijke zetel Brussel | BE 0834.075.680 | RPR Brussel |

CODE

PLAN
 C1021



The content of this document makes no guarantee and does not constitute an offer of any kind. It is provided for information purposes only. The content of this document is not intended to be used as a basis for any decision. The copyright for the content of this document is reserved by the architect. The architect is not responsible for any damage or loss resulting from the use of this document. The architect is not responsible for any damage or loss resulting from the use of this document.